

# A-Z of Quantitative PCR

edited by

**Stephen A. Bustin****Table of Contents:**Preface **xxi**List of Contributors **xxiii**Acronyms and Abbreviations **xxvii****Part I. OVERVIEWS 1****1. Quantification of Nucleic Acids by PCR 3***Stephen A. Bustin*

- 1.1. Introduction **5**
  - 1.1.1. PCR Characteristics 6
- 1.2. Conventional Quantitative PCR **8**
  - 1.2.1. Concepts 10
  - 1.2.2. Limitations 12
  - 1.2.3. Alternatives 13
- 1.3. Real-Time Quantitative PCR **15**
  - 1.3.1. Uses 16
  - 1.3.2. Microdissection 19
  - 1.3.3. Limitations 22
  - 1.3.4. PCR 22
  - 1.3.5. RT-PCR 23
- 1.4. Outlook **26**
- 1.5. Conclusion **29**

**2. Real-Time RT-PCR: What Lies Beneath the Surface 47***Jonathan M. Phillips*

- 2.1. Introduction **49**
- 2.2. What is RT-PCR? **50**
  - 2.2.1. Reverse Transcription and RT Enzymes 52
  - 2.2.2. What is Quantitative RT-PCR? 57
  - 2.2.3. Real-Time RT-PCR 58
  - 2.2.4. Reaction Controls (IPCs) 58
  - 2.2.5. Reporter Technologies 60
- 2.3. Things That Influence RT-PCR **61**
  - 2.3.1. Why Commercial Kits? 62
  - 2.3.2. Divalent Metal Concentration 64
  - 2.3.3. Primer Concentration 65
  - 2.3.4. Probe Concentration 66
  - 2.3.5. Reverse Transcription Conditions **67**
- 2.4. Synthetic Molecules 70
  - 2.4.1. Substituted Primers and Probes 70
  - 2.4.2. Synthetic RNA Controls 71
- 2.5. A Word about DNA Polymerases **73**
  - 2.5.1. DNA Dependent DNA Polymerases 73

- 2.5.2. RNA Dependent DNA Polymerases 74
- 2.6. Tips and Tricks **75**
  - 2.6.1. Probes 75
  - 2.6.2. The Right Enzyme for the Job 77
- 2.7. Buffers **78**
- 2.8. Concluding Remarks 78

### **3. Quantification Strategies in Real-Time PCR 87**

*Michael W. Pfaffl*

- 3.1. Introduction **89**
- 3.2. Markers of a Successful Real-Time RT-PCR Assay **90**
  - 3.2.1. RNA Extraction 90
  - 3.2.2. Reverse Transcription 91
  - 3.2.3. Comparison of Real-Time RT-PCR with Classical Endpoint Detection Method 93
  - 3.2.4. Chemistry Developments for Real-Time RT-PCR 94
  - 3.2.5. Real-Time RT-PCR Platforms 94
  - 3.2.6. Quantification Strategies in Kinetic RT-PCR 95
  - 3.2.7. Advantages and Disadvantages of External Standards 100
  - 3.2.8. Real-Time PCR Amplification Efficiency 102
  - 3.2.9. Data Evaluation 105
- 3.3. Automation of the Quantification Procedure **106**
- 3.4. Normalization **108**
- 3.5. Statistical Comparison **111**
- 3.6. Conclusion **112**

## **PART II. BASICS 121**

### **4. Good Laboratory Practice! 123**

*Stephen A. Bustin and Tania Nolan*

- 4.1. Introduction **125**
- 4.2. General Precautions **126**
  - 4.2.1. Phenol 127
    - Emergency procedures in case of skin contact 128**
  - 4.2.2. Liquid Nitrogen (N<sub>2</sub>) 129
  - 4.2.3. Waste Disposal 130
- 4.3. Equipment **131**
  - 4.3.1. Electrophoresis 131
  - 4.3.2. Freezer 131
  - 4.3.3. UV Transilluminators 131
  - 4.3.4. Micropipettes 132
  - 4.3.5. Gloves 134
  - 4.3.6. Eye Protection 135
  - 4.3.7. Legal Information 136

### **5. Template Handling, Preparation, and Quantification 141**

*Stephen A. Bustin and Tania Nolan*

- 5.1. Introduction **143**
  - 5.1.1. General Precautions 144
- 5.2. DNA **146**
  - 5.2.1. Preanalytical Steps 146
  - 5.2.2. Sample Collection 150
  - 5.2.3. Disruption 151
  - 5.2.4. Purification 154

- 5.2.5. Long-Term Storage 159
- 5.3. RNA **159**
  - 5.3.1. Preanalytical Steps 160
  - 5.3.2. General Considerations 161
  - 5.3.3. Tissue Handling and Storage 163
  - 5.3.4. Disruption/Homogenization 165
  - 5.3.5. RNA Extraction 173
  - 5.3.6. Simultaneous DNA Extraction 180
  - 5.3.7. DNA Contamination 182
  - 5.3.8. Preparation of RNA from Flow Cytometrically Sorted Cells 183
  - 5.3.9. Extraction from Formalin-Fixed and Paraffin-Embedded Biopsies 184
  - 5.3.10. Specialized Expression Analysis 187
- 5.4. Quantification of Nucleic Acids **188**
  - 5.4.1. Absorbance Spectrometry 188
  - 5.4.2. Fluorescence 190
  - 5.4.3. Purity 190
  - 5.4.4. Quantification of RNA 191

## 6. Chemistries **215**

*Stephen A. Bustin and Tania Nolan*

- 6.1. Introduction **217**
- 6.2. Fluorescence **221**
  - 6.2.1. Fluorophores 222
  - 6.2.2. Quenchers 226
- 6.3. Nonspecific Chemistries **228**
  - 6.3.1. DNA Intercalators 228
  - 6.3.2. Advantages 229
  - 6.3.3. Disadvantages 231
  - 6.3.4. Quencher-Labeled Primer (I) 234
  - 6.3.5. Quencher-Labeled Primer (II) 234
  - 6.3.6. LUX<sup>TM</sup> Primers 235
  - 6.3.7. Amplifluor<sup>TM</sup> 236
- 6.4. Specific Chemistries **239**
  - 6.4.1. Advantages 240
  - 6.4.1. Disadvantages 240
- 6.5. Linear Probes **241**
  - 6.5.1. ResonSense<sup>®</sup> and Angler<sup>®</sup> Probes 241
  - 6.5.2. HyBeacons<sup>TM</sup> 242
  - 6.5.3. Light-up Probes 243
  - 6.5.4. Hydrolysis (TaqMan<sup>®</sup>) Probes 244
  - 6.5.5. Lanthanide Probes 246
  - 6.5.6. Hybridization Probes 249
  - 6.5.7. Eclipse<sup>TM</sup> 249
  - 6.5.8. Displacement Hybridization/Complex Probe 250
- 6.6. Structured Probes **251**
  - 6.6.1. Molecular Beacons 253
  - 6.6.2. Scorpions<sup>TM</sup> 259
  - 6.6.3. Cyclicons<sup>TM</sup> 261
- 6.7. Future Technology **263**
  - 6.7.1. Nanoparticle Probes 263
  - 6.7.2. Conjugated Polymers And Peptide Nucleic Acid Probes 263

**7. Primers and Probes 279***Stephen A. Bustin and Tania Nolan*

- 7.1. Introduction **281**
  - 7.1.1. Hybridization 283
- 7.2. Probe Design **288**
- 7.3. Hydrolysis Probes **290**
  - 7.3.1. Gene Expression Analysis 290
  - 7.3.2. SNP/Mutation Analysis 292
- 7.4. Hybridization Probes **293**
  - 7.4.1. Gene Expression Analysis 293
  - 7.4.2. SNP/Mutation Analysis 294
- 7.5. Molecular Beacons **294**
  - 7.5.1. Gene Expression Analysis 295
  - 7.5.2. SNP/Mutation Analysis 296
- 7.6. Scorpions™ **296**
  - 7.6.1. Gene Expression Analysis 297
  - 7.6.2. SNP/Mutation Analysis 299
- 7.7. Probe Storage **299**
- 7.8. Primer Design **299**
- 7.9. Amplifluor™ Primers **303**
- 7.10. LUX™ Primers **304**
- 7.11. Oligonucleotide Purification **305**
- 7.12. Recommended Storage Conditions **307**
- 7.13. Example of Primer Design **308**
- 7.14. Nucleic Acid Analogues **311**
  - 7.14.1. Peptide Nucleic Acids (PNA) 313
  - 7.14.2. PNA Probe Characteristics 315
  - 7.14.3. Locked Nucleic Acids LNA™ 317
  - 7.14.4. Modified Bases: Super A™, G™, and T™ 318
  - 7.14.5. Minor Groove Binding Probes 319

**8. Instrumentation 329***Stephen A. Bustin and Tania Nolan*

- 8.1. Introduction **331**
  - 8.1.1. The Principle 332
  - 8.1.2. Excitation Source 333
  - 8.1.3. Filters 335
  - 8.1.4. Photodetectors 337
  - 8.1.5. Sensitivity 339
  - 8.1.6. Dynamic Range 340
  - 8.1.7. Linearity 340
- 8.2. Real-Time Instruments **341**
  - 8.2.1. ABI Prism® 345
  - 8.2.2. Bio-Rad Instruments 346
  - 8.2.3. Stratagene's Instruments 348
  - 8.2.4. Corbett Research Rotor-Gene RG-3000 350
  - 8.2.5. Roche Applied Science 353
  - 8.2.6. Techne Quantica 355
  - 8.2.7. Cepheid Smart Cycler® 356
- 8.3. Outlook **355**

**9. Basic RT-PCR Considerations 359***Stephen A. Bustin and Tania Nolan*

- 9.1. Introduction **361**

- 9.2. Total RNA vs. mRNA **364**
- 9.3. cDNA Priming **364**
  - 9.3.1. Random Primers 365
  - 9.3.2. Oligo-dT 366
  - 9.3.3. Target-Specific Primers 366
- 9.4. Choice of Enzyme **366**
  - 9.4.1. RT Properties 367
  - 9.4.2. AMV-RT 370
  - 9.4.3. MMLV-RT 371
  - 9.4.4. DNA-Dependent DNA Polymerases 372
  - 9.4.5. Omniscript/Sensiscript 372
- 9.5. RT-PCR **372**
  - 9.5.1. Two-Enzyme Procedures: Separate RT and PCR Enzymes 373
  - 9.5.2. Single RT and PCR Enzyme 374
  - 9.5.3. Problems with RT 375
- 9.6. One-Enzyme/One-Tube RT-PCR Protocol **376**
  - 9.6.1. Preparations 376
  - 9.6.2. Primers and Probes 376
  - 9.6.3. RT-PCR Enzyme 377
  - 9.6.4. RT-PCR Solutions 377
  - 9.6.5. Preparation of Master Mix 377
  - 9.6.6. Preparation of Standard Curve 378
  - 9.6.7. Template Reaction 380
  - 9.6.8. Troubleshooting 381
- 9.7. Two-Enzyme/Two-Tube RT-PCR Protocol **382**
  - 9.7.1. RT-PCR Enzymes 382
  - 9.7.2. RT-PCR Solutions 382
  - 9.7.3. Preparation of Master Mix 382
  - 9.7.4. Preparation of Standard Curve 383
  - 9.7.5. Unknown Template Reaction 385
  - 9.7.6. Troubleshooting 386

## **10. The PCR Step 397**

*Stephen A. Bustin and Tania Nolan*

- 10.1. Introduction **399**
- 10.2. Choice of Enzyme **400**
- 10.3. Thermostable DNA Polymerases **401**
  - 10.3.1. Fidelity 406
  - 10.3.2. Processivity and Elongation Rates 406
  - 10.3.3. Thermostability 407
  - 10.3.4. Robustness 407
- 10.4. To UNG or not to UNG **410**
- 10.5. Hot Start PCR **411**
- 10.6. PCR Assay Components **413**
  - 10.6.1. Enzyme Concentration 413
  - 10.6.2. Mg<sup>2+</sup> Concentration 414
  - 10.6.3. Primers 414
  - 10.6.4. dNTPs 415
  - 10.6.5. Template 416
  - 10.6.6. Inhibition of PCR by RT Components 417
  - 10.6.7. Water 417
- 10.7. Reaction Conditions **417**
  - 10.7.1. Denaturation Temperature 418

- 10.7.2. Annealing Temperature 418
- 10.7.3. Polymerization Temperature 418
- 10.7.4. Reaction Times 419
- 10.7.5. Multiplexing 419
- 10.7.6. Additives 419
- 10.8. PCR Protocols for Popular Assays **422**
- 10.8.1. Preparations 423
- 10.8.2. Double Stranded DNA Binding Dye Assays 424
- 10.8.3. Hydrolysis (TaqMan) Probe Reaction 426
- 10.8.4. Molecular Beacon Melting Curve to Test Beacon and Scorpion Assays 429
- 10.8.5. Molecular Beacon/Scorpion Reaction 430
- 10.9. General Troubleshooting **431**

## **11. Data Analysis and Interpretation 439**

*Stephen A. Bustin and Tania Nolan*

- 11.1. Introduction **441**
- 11.2. Precision, Accuracy, and Relevance **442**
- 11.3. Quantitative Principles **444**
- 11.4. Effect of Initial Copy Numbers **446**
- 11.5. Monte Carlo Effect **447**
- 11.6. Amplification Efficiency **448**
- 11.7. Relative, Comparative or Absolute Quantification **449**
- 11.8. Absolute Quantification **450**
- 11.9. Standard Curves **451**
- 11.9.1. Recombinant DNA 454
- 11.9.2. Genomic DNA 455
- 11.9.3. SP6 or T7-Transcribed RNA 456
- 11.9.4. Universal RNA 456
- 11.9.5. Sense-Strand Oligonucleotides 457
- 11.10. Relative Quantification **458**
- 11.11. Normalization **460**
- 11.11.1. Tissue Culture 461
- 11.11.2. Nucleated Blood Cells (NBC) 462
- 11.11.3. Solid Tissue Biopsies 462
- 11.11.4. Cell Number 463
- 11.11.5. Total RNA 463
- 11.11.6. DNA 464
- 11.11.7. rRNA 464
- 11.12. Reference Genes (Housekeeping Genes) **465**
- 11.13. Basic Statistics **467**
- 11.13.1. Data Presentation 469
- 11.13.2. Mean and Median 469
- 11.13.3. Standard Deviation 470
- 11.13.4. Plots 470
- 11.13.5. Relative (Receiver) Operating Characteristics 471
- 11.13.6. Probability 473
- 11.13.7. Parametric and Nonparametric Tests 475
- 11.14. Conclusion **481**

## **12. The qPCR Does Not Work? 493**

*Stephen A. Bustin and Tania Nolan*

- 12.1. Introduction **495**

12.2.	Problem: What Is a Perfect Amplification Plot?	<b>496</b>
12.3.	Problem: Too Much Target	<b>498</b>
12.9.1.	Solution	499
12.4.	Problem: Amplification Plot Is not Exponential	<b>499</b>
12.4.1.	Solution	500
12.5.	Problem: Duplicates Give Widely Differing C <sub>t</sub> s	<b>500</b>
12.5.1.	Solution	502
12.6.	Problem: No Amplification Plots	<b>502</b>
12.6.1.	Solution	502
12.7.	Problem: The Probe Does not Work!	<b>506</b>
12.7.1.	Solution	510
12.8.	Problem: The Data Plots Are Very Jagged	<b>511</b>
12.8.1.	Solution	511
12.9.	Problem: The Amplification Plot for the Standard Curve Looks Great	
BUT.....		<b>512</b>
12.9.1.	.....The Gradient of the Standard Curve Is Greater Than -3.3	514
12.9.2.	.....The Standards Aren't Diluting!	515
12.9.3.	.....Using SYBR Green the Gradient of the Standard Curve Is Less Than	
-3.3		517
12.9.4.	.....Using a Sequence Specific Oligonucleotide Detection System the	
Gradient of the		
	Standard Curve Is Less Than -3.3	518
12.10.	Problem: The Amplification Plots Are Strange Wave Shapes	521
12.10.1.	Solution	522
12.11.	Problem: The Amplification Plot Goes Up, Down and All Around	523
12.11.1.	Solution	523
<b>PART III. SPECIFIC APPLICATIONS 525</b>		
<b>13.</b>	<b>Getting Started—The Basics of Setting up a qPCR Assay</b>	<b>527</b>
	<i>Tania Nolan</i>	
13.1.	Introduction	<b>529</b>
13.2.	Optimization	<b>531</b>
13.3.	Primer and Probe Optimization Protocol	<b>532</b>
13.4.	Optimization of Primers Concentration Using SYBR Green I	<b>534</b>
13.5.	SYBR Green 1 Optimization Data Analysis	<b>535</b>
13.6.	Examination of the Melting Curve	<b>535</b>
13.7.	Optimization of Primer Concentration Using Fluorescent Probes	<b>537</b>
13.8.	Molecular Beacon Melting Curve	<b>537</b>
13.9.	Primer Optimization Reactions in Duplicate	<b>538</b>
13.10.	Primer Optimization Data Analysis	<b>539</b>
13.11.	Optimization of Probe Concentration	<b>539</b>
13.12.	Probe Optimization Data Analysis	<b>542</b>
13.13.	Testing the Efficiency of Reactions Using a Standard Curve	<b>542</b>
<b>14.</b>	<b>Use of Standardized Mixtures of Internal Standards in Quantitative RT-PCR to Ensure</b>	
	<b>Quality Control and Develop a Standardized Gene Expression Database</b>	<b>545</b>
	<i>James C. Willey, Erin L. Crawford, Charles A. Knight, Kristy A. Warner, Cheryl R. Motten, Elizabeth Herness Peters, Robert J. Zahorchak, Timothy G. Graves, David A. Weaver, Jerry R. Bergman, Martin Vondracek, and Roland C. Grafstrom</i>	
14.1.	Introduction	<b>547</b>
14.1.1.	Controls Required for RT-PCR to Be Quantitative	548
14.1.2.	Control for Variation in Loading of Sample into PCR Reaction	548
14.1.3.	Control for Variation in Amplification Efficiency	552

14.1.4.	Control for Cycle-to-Cycle Variation in Amplification	552
14.1.5.	Control for Gene-to-Gene Variation in Amplification Efficiency	552
14.1.6.	Control for Sample-to-Sample Variation in Amplification Efficiency	553
14.1.7.	Control for Reaction-to-Reaction Variation in Amplification Efficiency	554
14.1.8.	Schematic Comparison of StaRT-PCR to Real-Time	556
14.2.	Materials	<b>559</b>
14.3.	Methods	<b>560</b>
14.3.1.	RNA Extraction and Reverse Transcription	560
14.3.2.	Synthesis and Cloning of Competitive Templates	560
14.3.3.	Preparation of Standardized Mixtures of Internal Standards	562
14.4.	StaRT-PCR	<b>563</b>
14.4.1.	Step-by-Step Description of StaRT-PCR Method	564
14.5.	The Standardized Expression Measurement Center	<b>570</b>
14.6.	Technology Incorporated by the SEM Center	<b>571</b>
14.6.1.	Automated Preparation of StaRT-PCR Reactions	571
14.6.2.	Electrophoretic Separation of StaRT-PCR Products	572
14.6.3.	Design of High-Throughput StaRT-PCR Experiments	572
<b>15.</b>	<b>Standardization of qPCR and qRT-PCR Assays</b>	<b>577</b>
	<i>Reinhold Mueller, Gothami Padmabandu, and Roger H. Taylor</i>	
15.1.	Introduction	<b>579</b>
15.2.	Platforms	<b>581</b>
15.2.1.	Validation of Instrument Specification	581
15.3.	Detection Chemistries	<b>586</b>
15.4.	Conclusion	<b>588</b>
<b>16.</b>	<b>Extraction of Total RNA from Formalin-Fixed Paraffin-Embedded Tissue</b>	<b>591</b>
	<i>Fraser Lewis and Nicola J. Maughan</i>	
16.1.	Introduction	<b>593</b>
16.2.	Extraction of RNA from Clinical Specimens	<b>594</b>
16.3.	Effect of Fixation	<b>595</b>
16.4.	Extraction of total RNA from Formalin-Fixed, Paraffin-Embedded Tissue	<b>596</b>
16.5.	Use of RNase Inhibitors	<b>597</b>
16.6.	Protocol for the Extraction of total RNA from Formalin-Fixed, Paraffin-Embedded Tissue	<b>598</b>
16.6.1.	Method	598
16.7.	Reverse Transcription of Total RNA from Paraffin Sections	<b>600</b>
16.7.1.	Method	600
16.8.	Design of Real-Time PCR Assays	<b>601</b>
<b>17.</b>	<b>Cells-to-cDNA II: RT-PCR without RNA Isolation</b>	<b>605</b>
	<i>Quoc Hoang and Brittan L. Pasloske</i>	
17.1.	Introduction	<b>607</b>
17.2.	Materials	<b>609</b>
17.2.1.	Materials Supplied with Cells-to-cDNA II	609
17.2.2.	Materials for Real-Time PCR	609
17.2.3.	Heating Sources	610
17.3.	Method	<b>610</b>
17.3.1.	Lysis and DNase I Treatment	610
17.3.2.	Reverse Transcription	611
17.3.3.	Real-Time PCR	611
17.3.4.	Data Analysis	612
17.4.	Notes	<b>613</b>



**18. Optimization of Single and Multiplex Real-Time PCR 619***Marni Brisson, Shannon Hall, R. Keith Hamby, Robert Park, and Hilary K Srere*

- 18.1. Introduction 621
  - 18.1.1. Why Multiplex? 622
- 18.2. Getting Started—Proper Laboratory Technique **623**
  - 18.2.1. Avoiding Contamination 623
  - 18.2.2. Improving Reliability 624
- 18.3. Designing Probes for Multiplexing **624**
  - 18.3.1. Types of Probes 624
  - 18.3.2. Reporters and Quenchers 624
  - 18.3.3. Analyzing Probe Quality 626
- 18.4. Standard Curves **627**
  - 18.4.1. Interpreting Standard Curves 627
  - 18.4.2. Proper Use of Standards 628
- 18.5. Optimizing Individual Reactions before Multiplexing **630**
  - 18.5.1. Definition of Efficiency 630
  - 18.5.2. Designing Primers for Maximum Amplification Efficiency 631
  - 18.5.3. Designing Primers for Maximum Specificity 632
  - 18.5.4. Equalizing Amplification Efficiencies 635
- 18.6. Optimization of Multiplex Reactions **636**
  - 18.6.1. Comparing Individual and Multiplexed Reactions 636
  - 18.6.2. Optimizing Reaction Conditions 636
- 18.7. Summary **640**

**19. Evaluation of Basic Fibroblast Growth Factor mRNA Levels in Breast Cancer 643***Pamela Pinzani, Carmela Tricarico, Lisa Simi, Mario Pazzagli, and Claudio Orlando*

- 19.1. Introduction **645**
- 19.2. Materials and Methods **647**
  - 19.2.1. Cancer Samples 647
  - 19.2.2. Materials 647
  - 19.2.3. Sample Preparation 648
  - 19.2.4. Quantitative Evaluation of bFGF mRNA Expression 648
  - 19.2.5. Statistical Analysis 648
- 19.3. Results **649**
  - 19.3.1. Intra-Assay and Inter-Assay Variability 649
  - 19.3.2. Quantification of bFGF and VEGF mRNA Levels 649
  - 19.3.3. Clinicopathologic Characteristics 650
- 19.4. Discussion **653**

**20. Detection of “Tissue-Specific” mRNA in the Blood and Lymph Nodes of Patients without Colorectal Cancer 657***Stephen A. Bustin and Sina Dorudi*

- 20.1. Introduction **659**
- 20.2. Materials and Methods **661**
  - 20.2.1. Patients and Controls 661
  - 20.2.2. Tumors and Lymph Nodes 661
  - 20.2.3. RNA Extraction 662
  - 20.2.4. Primers and Probes 663
  - 20.2.5. RT-PCR Reactions 663
  - 20.2.6. Quantification 664
  - 20.2.7. Normalization 664
  - 20.2.8. Quality Standards 665
- 20.3. Results **665**

- 20.3.1. ck20 mRNA in Colorectal Cancers 665
- 20.3.2. ck20 mRNA in the Peripheral Blood of Patients 665
- 20.3.3. ck20 mRNA in the Peripheral Blood of Healthy Volunteers 667
- 20.3.4. ck20 Expression in Lymph Nodes 667
- 20.3.5. ck20 Expression in Other Human Tissues 667
- 20.4. Discussion 668

## **21. Optimized Real-Time RT-PCR for Quantitative Measurements of DNA and RNA in Single Embryos and Their Blastomeres 675**

*Cristina Hartshorn, John E. Rice, and Lawrence J. Wangh*

- 21.1. Introduction 677
- 21.2. Key Features of Real-Time RT-PCR 680
- 21.3. Primer Design 681
- 21.4. Avoidance of the HMG Box within Sry 681
- 21.5. Amplicon Selection and Verification 682
- 21.6. Molecular Beacons Design 684
- 21.7. Multiplex Optimization 686
- 21.8. Blastomere Isolation 688
- 21.9. DNA and RNA Isolation 691
- 21.10. Reverse Transcription 694
- 21.11. Real-time PCR and Quantification of Genomic DNA and cDNA Templates in Single Embryos 696
- 21.12. Real-time PCR and Quantification of Genomic DNA and cDNA Templates in Single Blastomeres 698

## **22. Single Cell Global RT and Quantitative Real-Time PCR 703**

*Ged Brady and Tania Nolan*

- 22.1. Introduction 705
- 22.2. PolyAPCR Overview 706
- 22.3. Ensuring Ratio of RNAs in Is Equal to Ratio of cDNAs out 707
- 22.4. Why Carry out Single Cell Analysis? 707
- 22.5. Picking the "Right" Single Cell 709
- 22.6. Experimental Details of PolyAPCR 710
  - 22.6.1. Global Amplification of cDNA to Copy All Polyadenylated RNAs (PolyAPCR) 710
  - 22.6.2. Preparation of Gene Specific Quantity Standard Series 712
  - 22.6.3. TaqMan™ Real-Time Quantitative PCR to Quantify Specific Gene Expression 712

## **23. Single Nucleotide Polymorphism Detection with Fluorescent MGB Eclipse Probe Systems 717**

*Irina A. Afonina, Yevgeniy S. Belousov, Mark Metcalf, Alan Mills, Silvia Sanders, David K. Walburger,*

*Walt Mahoney, and Nicolaas M. J. Vermeulen*

- 23.1. Introduction 719
- 23.2. General Discussion 721
- 23.3. Materials 723
  - 23.3.1. Preparation of Nucleic Acids 723
  - 23.3.2. Primers and Probes 724
  - 23.3.3. Amplification Enzyme 724
  - 23.3.4. Amplification Solutions 724
- 23.4. Method 724
  - 23.4.1. Amplification 724

- 23.4.2. Melting Curve Analysis 725
- 23.5. Instruments **726**
- 23.6. Data Interpretation **726**
  - 23.6.1. Rotor-Gene 726
  - 23.6.2. Other Instruments 726
- 23.7. Notes **727**
- 23.8. Summary **730**

## **24. Genotyping Using MGB-Hydrolysis Probes 733**

*Jane Theaker*

- 24.1. Introduction **735**
  - 24.1.1. Improved Chemistries 736
  - 24.1.2. Dark Quenchers 736
  - 24.1.3. Single-Tube Genotyping Assay Design Recommendations 737
- 24.2. Evaluation of a Single-Tube Genotyping Assay **738**
- 24.3. Troubleshooting a Genotyping Assay **739**
  - 24.3.1. Problem: No Signal or Poor Signal 739
  - 24.3.2. Problem: Probe Cross-Hybridization 741
  - 24.3.3. Problem: Spectral Crosstalk 742
- 24.4. The Transition from Real-Time to Endpoint Genotyping Assay **744**
- 24.5. General Practical Points and Hints **745**
  - 24.5.1. Plasticware and its Compatibility with Hardware 745
  - 24.5.2. ROX Including Baseline Drift 746
- 24.6. Software **750**
  - 24.6.1. MFold 750
  - 24.6.2. HyTher™ Server 1.0 750
  - 24.6.3. Primer Express® Software 751
  - 24.6.4. Oligo Primer Analysis Software 751
  - 24.6.5. Beacon Designer 2.1 752
  - 24.6.6. Microsoft Excel 752
  - 24.6.7. JMP Version 5.1 752
- 24.7. Reagents and Buffers **752**
  - 24.7.1. Alternative Suppliers of Reagents 753
  - 24.7.2. Formulate Your Own Reagents 754
- 24.8. Melting Curves **755**
  - 24.8.1. Types of Melting Curves 755
  - 24.8.2. Performing a Pre-PCR Melting Curve 756
  - 24.8.3. Post-PCR Melting Curves 760
- 24.9. A Useful Protocol to Quantify Total Human DNA Based on Detection of the APO B Gene **763**
  - 24.9.1. Primer and Probe Sequences 763

## **25. Scorpions Primers for Real-Time Genotyping and Quantitative Genotyping on Pooled DNA 767**

*David M. Whitcombe, Paul Ravetto, Antony Halsall, and Nicola Thelwell*

- 25.1. Introduction **769**
- 25.2. Genotyping **770**
- 25.3. Scorpions **771**
  - 25.3.1. Structure and Mechanism 771
  - 25.3.2. Benefits of the Scorpions Mechanism 772
- 25.4. Methods **773**
  - 25.4.1. Design of ARMS Allele-Specific Primers 774
  - 25.4.2. Design and Synthesis of Scorpions 774

- 25.5. Examples **777**
  - 25.5.1. Genotyping with Allele Specific Primers and Intercalation **777**
  - 25.5.2. Single-Tube Genotyping **778**
  - 25.5.3. Quantitative Genotyping of Pooled Samples **779**
- 25.6. Conclusions **780**

## **26. Simultaneous Detection and Sub-Typing of Human Papillomavirus in the Cervix Using**

### **Real-Time Quantitative PCR 783**

*Rashmi Seth, Tania Nolan, Triona Davey, John Rippin, Li Guo, and David Jenkins*

- 26.1. Introduction **785**
- 26.2. PolyAPCR Overview **788**
- 26.3. Results **790**
- 26.4. Conclusion **793**

## **APPENDICES 797**

### **Appendix A1. Useful Information 799**

- A1.1. Sizes and Molecular Weights of Eukaryotic Genomic DNA and rRNAs **801**
- A1.2. Nucleic Acids in Typical Human Cell **803**
- A1.3. Nucleotide Molecular Weights **803**
- A1.4. Molecular Weights of Common Modifications **804**
- A1.5. Nucleic Acid Molecular Weight Conversions **804**
- A1.6. Nucleotide Absorbance Maxima and Molar Extinction Coefficients **807**
- A1.7. Conversions **807**
- A1.8. DNA Conformations **812**
- A1.9. Efficiency of PCR Reactions **812**
- A1.10. Centrifugation **813**
- A1.11. Splice Function **813**

### **Appendix A2. Glossary 815**

### **Index 835**