

Link to Order: [http://fivephoton.com/index.php?route=product/product&path=37&product\\_id=74](http://fivephoton.com/index.php?route=product/product&path=37&product_id=74)

Price: \$119.95

Website: [www.fivephoton.com](http://www.fivephoton.com). Tel: 800-462-4507

## **PROTEIN CRYSTALLIZATION STRATEGIES FOR STRUCTURAL GENOMICS**

edited by

**Naomi E. Chayen**

### **Table of Contents:**

Preface **xiii**

List of Contributors **xv**

### **1. Structural Genomics in the United States: The NIGMS Protein Structure Initiative 1**

*Charles G. Edmonds and John C. Norvell*

### **2. A Guide to Automation and Data Handling in Protein Crystallization 9**

*Bernhard Rupp*

2.1. Introduction **11**

2.2. High-Throughput Protein Structure Determination **13**

2.2.1. Why High Throughput? 13

2.2.2. Definition of High Throughput 13

2.2.3. High Throughput versus Low Throughput 14

2.2.4. Estimation of Throughput 14

2.2.5. The Data Explosion 17

2.2.6. Information Technology Infrastructure 18

2.2.7. Data Mining and Machine Learning 19

2.3. Overview of Protein Crystallization **21**

2.3.1. Basics of Protein Crystallization 21

2.3.2. Experimental Crystallization Setup Techniques 23

2.3.3. Experimental Design Considerations 25

2.3.4. Crystallization Screening as a Sampling Problem 26

2.3.5. Robotics and Flexible Design Strategies 26

2.4. Implementation of Robotic Technology—General Considerations **28**

2.4.1. Efficiency versus Throughput 29

2.4.2. Patent and Licensing Issues 30

2.4.3. Service and Maintenance 31

2.5. Implementation of Robotics in the Academic Laboratory **31**

2.5.1. Objectives and Cost 32

2.5.2. Bottlenecks 33

2.5.3. Kits versus Custom Cocktails 34

2.5.4. Limitations to Full Automation 35

2.5.5. Two Basic Automation Scenarios 35

2.6. Instrumentation **36**

2.6.1. Liquid Handling Stations 36

- 2.6.2. Plate-Setup Robotics 38
- 2.6.3. Sealing 41
- 2.6.4. Visualization 41
- 2.6.5. Plate Handling and Storage 42
- 2.6.6. Fully Integrated Systems 45
- 2.6.7. Cryoprotection 45
- 2.6.8. Robotic Sample Mounting 46
- 2.7. Conclusions **49**

### **3. Automated Liquid Handling Systems for Submicroliter Crystallization 57**

*Terese Bergfors*

- 3.1. Introduction **59**
  - 3.1.1. The Development Path of Crystallization Robotics 59
  - 3.1.2. The Shift Towards Nanoliter Crystallization 60
  - 3.1.3. Advantages of Crystallization on the Nanoliter Level 61
  - 3.1.4. Future Robot Technology for Crystallization 62
- 3.2. Choosing a Robot **63**
  - 3.2.1. Background of This Chapter 63
  - 3.2.2. What are the Automation Requirements? 63
  - 3.2.3. Multiuser or Service Laboratory? 63
  - 3.2.4. Reservoir Filling and Cocktail Production 64
  - 3.2.5. Types of Dispensing 65
  - 3.2.6. Accuracy and Precision 67
  - 3.2.7. Speed and Related Issues of Chilling and Evaporation Control 68
  - 3.2.8. Size 69
  - 3.2.9. Price 70
  - 3.2.10. Product Descriptions 70

Appendix 3.1. Product Descriptions of the Crystallization Robots Listed in Table  
3.1 **73**

### **4. Soft-Polymer Microfluidic Applications to Protein Crystallization 87**

*James M. Berger*

- 4.1. Introduction **89**
- 4.2. Classic Crystal Growth Methods **91**
- 4.3. Microfluidic Platforms for Crystallization **94**
- 4.4. Capabilities Unique to Microfluidic Devices **97**
- 4.5. Microfluidic Phase-Space Mapping **100**
- 4.6. Horizon Methods **100**
- 4.7. Conclusion **103**

### **5. Counter-Diffusion Capillary Crystallization for High-Throughput Applications 111**

*Juan M. Garcia-Ruiz and Joseph D. Ng*

- 5.1. Why Counter-Diffusion Crystallization? **113**
- 5.2. Principle of Counter-Diffusion Crystallization **114**
- 5.3. Preparation and Setup **115**

5.3.1.	Single Capillar	116
5.3.2.	Multiple Array Configurations	116
5.4.	Getting the Protein Crystal to the X-ray Beam as Soon as Possible	<b>118</b>
5.4.1.	Taking a Walk Down Crystal Lane	120
5.4.2.	Mounting and Aligning Crystals in Capillary	121
5.4.3.	Preliminary X-Ray Analysis	121
5.4.4.	Data Collection and Electron Density Calculation Image Processing	122
5.5.	Important Points	<b>124</b>

## **6. Scale-Down Approaches for Measuring Protein-Protein Interactions 127**

*Joseph C. Fanguy, Charles S. Henry, Steven C. Holman, Joseph J. Valente, and W. William Wilson*

6.1.	Introduction	<b>129</b>
6.2.	Scale Down of Static Light Scattering	<b>133</b>
6.2.1.	Configuration Description	133
6.2.2.	Flow Injection Components	136
6.2.3.	Data Acquisition System	137
6.2.4.	Samples for Demonstration Purposes	137
6.2.5.	Results for Demonstration Proteins	138
6.3.	Scale Down of Self-Interaction Chromatography	<b>143</b>
6.3.1.	Evolution of Self-Interaction Chromatography (SIC)	143
6.3.2.	The Synergy of B and SIC	144
6.4.	B and Solubility	<b>146</b>
6.5.	Potential for Miniaturization	<b>147</b>
6.6.	Conclusions	<b>149</b>

## **7. Gearing Optimization Techniques Towards High-Throughput 153**

*Naomi E. Chayen*

7.1.	Introduction	<b>155</b>
7.2.	Development of Optimization Procedures	<b>156</b>
7.2.1.	Crystallization in Gels	157
7.2.2.	“Containerless” Crystallization	159
7.2.3.	Control of Evaporation Kinetics	160
7.2.4.	Optimization by Decoupling Nucleation and Growth	161
7.2.5.	Slowing Down Vapor Diffusion with an Oil Barrier	162
7.3.	Summary	<b>163</b>
Appendix 7.1.	Experimental Procedures	<b>166</b>
A7.1.1.	Preparation of Gels	166
A7.1.2.	Control of Evaporation	166
A7.1.3.	Decoupling of Nucleation and Growth	167

## **8. Miniaturization and Automation for High-Throughput Membrane Protein Crystallization**

**in Lipidic Mesophases 169**

*Vadim Cherezov and Martin Caffrey*

8.1.	Introduction	<b>171</b>
8.2.	The <i>In-Meso</i> Crystallogenesis Robot Suite	<b>174</b>
8.2.1.	Crystallization Robot	174
8.2.2.	Screen Solution Preparation	174
8.2.3.	Crystallization Plates	175
8.2.4.	Imaging Station	176
8.3.	Crystallization Trials	<b>176</b>
8.3.1.	<i>In-Meso</i> Crystallization	176
8.3.2.	Screening	177
8.4.	Robot-Performance Characterization	<b>178</b>
8.5.	Crystallization Plates	<b>179</b>
8.6.	Crystallization Robot	<b>181</b>
8.6.1.	Dispensing the Lipidic Cubic Phase	181
8.6.2.	Dispensing the Precipitant Solution	184
8.6.3.	Dehydration during Setup	185
8.7.	Imaging Station	<b>187</b>
8.7.1.	Performance Characteristics	187
8.7.2.	Image Processing	188
8.8.	Crystallization Trials	<b>189</b>
8.9.	<i>Quo Vadis?</i>	<b>189</b>
8.10.	Conclusions	192

## **9. Automated Classification of Crystallization Experiment 359**

*Julie Wilson*

9.1.	The Need for Automated Classification	<b>197</b>
9.2.	Edge Detection	<b>198</b>
9.3.	Image Cropping	<b>203</b>
9.4.	Artifacts not Related to the Crystallization Experiment	<b>203</b>
9.4.1.	Bubbles and Droplets	204
9.4.2.	Plastic Mold Effects	204
9.5.	Masking the Drop	<b>205</b>
9.5.1.	Circular Masks	205
9.5.2.	Noncircular Masks	20
9.6.	Analysis of the Crystallization Drop	<b>208</b>
9.6.1.	Feature Extraction	209
9.6.2.	Object-Based Features	209
9.6.3.	Drop-Based Features	212
9.7.	Classification	<b>214</b>
9.7.1.	Learning Algorithms	214
9.7.2.	Decision Trees	215
9.7.3.	Linear Discriminant Analysis	216
9.8.	Summary	<b>217</b>

## **Index 221**