

A-Z of Quantitative PCR

Buy on Fivephoton.com

(www.fivephoton.com: Fivephoton Item # QPCR-1)

\$119.95, ships free to US addresses: In Stock

edited by

Stephen A. Bustin

Table of Contents:

Preface **xxi**

List of Contributors **xxiii**

Acronyms and Abbreviations **xxvii**

Part I. OVERVIEWS 1

1. Quantification of Nucleic Acids by PCR 3

Stephen A. Bustin

- 1.1. Introduction 5
 - 1.1.1. PCR Characteristics 6
- 1.2. Conventional Quantitative PCR 8
 - 1.2.1. Concepts 10
 - 1.2.2. Limitations 12
 - 1.2.3. Alternatives 13
- 1.3. Real-Time Quantitative PCR 15
 - 1.3.1. Uses 16
 - 1.3.2. Microdissection 19
 - 1.3.3. Limitations 22
 - 1.3.4. PCR 22
 - 1.3.5. RT-PCR 23
- 1.4. Outlook 26
- 1.5. Conclusion 29

2. Real-Time RT-PCR: What Lies Beneath the Surface 47

Jonathan M. Phillips

- 2.1. Introduction 49
- 2.2. What is RT-PCR? 50
 - 2.2.1. Reverse Transcription and RT Enzymes 52
 - 2.2.2. What is Quantitative RT-PCR? 57
 - 2.2.3. Real-Time RT-PCR 58
 - 2.2.4. Reaction Controls (IPCs) 58
 - 2.2.5. Reporter Technologies 60
- 2.3. Things That Influence RT-PCR 61
 - 2.3.1. Why Commercial Kits? 62

2.3.2.	Divalent Metal Concentration	64
2.3.3.	Primer Concentration	65
2.3.4.	Probe Concentration	66
2.3.5.	Reverse Transcription Conditions	67
2.4.	Synthetic Molecules	70
2.4.1.	Substituted Primers and Probes	70
2.4.2.	Synthetic RNA Controls	71
2.5.	A Word about DNA Polymerases	73
2.5.1.	DNA Dependent DNA Polymerases	73
2.5.2.	RNA Dependent DNA Polymerases	74
2.6.	Tips and Tricks	75
2.6.1.	Probes	75
2.6.2.	The Right Enzyme for the Job	77
2.7.	Buffers	78
2.8.	Concluding Remarks	78

3. Quantification Strategies in Real-Time PCR 87

Michael W. Pfaffl

3.1.	Introduction	89
3.2.	Markers of a Successful Real-Time RT-PCR Assay	90
3.2.1.	RNA Extraction	90
3.2.2.	Reverse Transcription	91
3.2.3.	Comparison of Real-Time RT-PCR with Classical Endpoint Detection Method	93
3.2.4.	Chemistry Developments for Real-Time RT-PCR	94
3.2.5.	Real-Time RT-PCR Platforms	94
3.2.6.	Quantification Strategies in Kinetic RT-PCR	95
3.2.7.	Advantages and Disadvantages of External Standards	100
3.2.8.	Real-Time PCR Amplification Efficiency	102
3.2.9.	Data Evaluation	105
3.3.	Automation of the Quantification Procedure	106
3.4.	Normalization	108
3.5.	Statistical Comparison	111
3.6.	Conclusion	112

PART II. BASICS 121

4. Good Laboratory Practice! 123

Stephen A. Bustin and Tania Nolan

4.1.	Introduction	125
4.2.	General Precautions	126
4.2.1.	Phenol	127
	Emergency procedures in case of skin contact	128
4.2.2.	Liquid Nitrogen (N ₂)	129
4.2.3.	Waste Disposal	130
4.3.	Equipment	131
4.3.1.	Electrophoresis	131
4.3.2.	Freezer	131
4.3.3.	UV Transilluminators	131
4.3.4.	Micropipettes	132
4.3.5.	Gloves	134
4.3.6.	Eye Protection	135

4.3.7. Legal Information 136

5. Template Handling, Preparation, and Quantification 141

Stephen A. Bustin and Tania Nolan

- 5.1. Introduction **143**
 - 5.1.1. General Precautions 144
- 5.2. DNA **146**
 - 5.2.1. Preanalytical Steps 146
 - 5.2.2. Sample Collection 150
 - 5.2.3. Disruption 151
 - 5.2.4. Purification 154
 - 5.2.5. Long-Term Storage 159
- 5.3. RNA **159**
 - 5.3.1. Preanalytical Steps 160
 - 5.3.2. General Considerations 161
 - 5.3.3. Tissue Handling and Storage 163
 - 5.3.4. Disruption/Homogenization 165
 - 5.3.5. RNA Extraction 173
 - 5.3.6. Simultaneous DNA Extraction 180
 - 5.3.7. DNA Contamination 182
 - 5.3.8. Preparation of RNA from Flow Cytometrically Sorted Cells 183
 - 5.3.9. Extraction from Formalin-Fixed and Paraffin-Embedded Biopsies 184
 - 5.3.10. Specialized Expression Analysis 187
- 5.4. Quantification of Nucleic Acids **188**
 - 5.4.1. Absorbance Spectrometry 188
 - 5.4.2. Fluorescence 190
 - 5.4.3. Purity 190
 - 5.4.4. Quantification of RNA 191

6. Chemistries 215

Stephen A. Bustin and Tania Nolan

- 6.1. Introduction **217**
- 6.2. Fluorescence **221**
 - 6.2.1. Fluorophores 222
 - 6.2.2. Quenchers 226
- 6.3. Nonspecific Chemistries **228**
 - 6.3.1. DNA Intercalators 228
 - 6.3.2. Advantages 229
 - 6.3.3. Disadvantages 231
 - 6.3.4. Quencher-Labeled Primer (I) 234
 - 6.3.5. Quencher-Labeled Primer (II) 234
 - 6.3.6. LUX™ Primers 235
 - 6.3.7. Amplifluor™ 236
- 6.4. Specific Chemistries **239**
 - 6.4.1. Advantages 240
 - 6.4.1. Disadvantages 240
- 6.5. Linear Probes **241**
 - 6.5.1. ResonSense® and Angler® Probes 241
 - 6.5.2. HyBeacons™ 242
 - 6.5.3. Light-up Probes 243
 - 6.5.4. Hydrolysis (TaqMan®) Probes 244
 - 6.5.5. Lanthanide Probes 246

6.5.6.	Hybridization Probes	249
6.5.7.	Eclipse™	249
6.5.8.	Displacement Hybridization/Complex Probe	250
6.6.	Structured Probes	251
6.6.1.	Molecular Beacons	253
6.6.2.	Scorpions™	259
6.6.3.	Cyclicons™	261
6.7.	Future Technology	263
6.7.1.	Nanoparticle Probes	263
6.7.2.	Conjugated Polymers And Peptide Nucleic Acid Probes	263

7. Primers and Probes **279**

Stephen A. Bustin and Tania Nolan

7.1.	Introduction	281
7.1.1.	Hybridization	283
7.2.	Probe Design	288
7.3.	Hydrolysis Probes	290
7.3.1.	Gene Expression Analysis	290
7.3.2.	SNP/Mutation Analysis	292
7.4.	Hybridization Probes	293
7.4.1.	Gene Expression Analysis	293
7.4.2.	SNP/Mutation Analysis	294
7.5.	Molecular Beacons	294
7.5.1.	Gene Expression Analysis	295
7.5.2.	SNP/Mutation Analysis	296
7.6.	Scorpions™	296
7.6.1.	Gene Expression Analysis	297
7.6.2.	SNP/Mutation Analysis	299
7.7.	Probe Storage	299
7.8.	Primer Design	299
7.9.	Amplifluor™ Primers	303
7.10.	LUX™ Primers	304
7.11.	Oligonucleotide Purification	305
7.12.	Recommended Storage Conditions	307
7.13.	Example of Primer Design	308
7.14.	Nucleic Acid Analogues	311
7.14.1.	Peptide Nucleic Acids (PNA)	313
7.14.2.	PNA Probe Characteristics	315
7.14.3.	Locked Nucleic Acids LNA™	317
7.14.4.	Modified Bases: Super A™, G™, and T™	318
7.14.5.	Minor Groove Binding Probes	319

8. Instrumentation **329**

Stephen A. Bustin and Tania Nolan

8.1.	Introduction	331
8.1.1.	The Principle	332
8.1.2.	Excitation Source	333
8.1.3.	Filters	335
8.1.4.	Photodetectors	337
8.1.5.	Sensitivity	339
8.1.6.	Dynamic Range	340
8.1.7.	Linearity	340
8.2.	Real-Time Instruments	341

8.2.1.	ABI Prism®	345
8.2.2.	Bio-Rad Instruments	346
8.2.3.	Stratagene's Instruments	348
8.2.4.	Corbett Research Rotor-Gene RG-3000	350
8.2.5.	Roche Applied Science	353
8.2.6.	Techne Quantica	355
8.2.7.	Cepheid Smart Cycler®	356
8.3.	Outlook	355
9.	Basic RT-PCR Considerations	359
	<i>Stephen A. Bustin and Tania Nolan</i>	
9.1.	Introduction	361
9.2.	Total RNA vs. mRNA	364
9.3.	cDNA Priming	364
9.3.1.	Random Primers	365
9.3.2.	Oligo-dT	366
9.3.3.	Target-Specific Primers	366
9.4.	Choice of Enzyme	366
9.4.1.	RT Properties	367
9.4.2.	AMV-RT	370
9.4.3.	MMLV-RT	371
9.4.4.	DNA-Dependent DNA Polymerases	372
9.4.5.	Omniscript/Sensiscript	372
9.5.	RT-PCR	372
9.5.1.	Two-Enzyme Procedures: Separate RT and PCR Enzymes	373
9.5.2.	Single RT and PCR Enzyme	374
9.5.3.	Problems with RT	375
9.6.	One-Enzyme/One-Tube RT-PCR Protocol	376
9.6.1.	Preparations	376
9.6.2.	Primers and Probes	376
9.6.3.	RT-PCR Enzyme	377
9.6.4.	RT-PCR Solutions	377
9.6.5.	Preparation of Master Mix	377
9.6.6.	Preparation of Standard Curve	378
9.6.7.	Template Reaction	380
9.6.8.	Troubleshooting	381
9.7.	Two-Enzyme/Two-Tube RT-PCR Protocol	382
9.7.1.	RT-PCR Enzymes	382
9.7.2.	RT-PCR Solutions	382
9.7.3.	Preparation of Master Mix	382
9.7.4.	Preparation of Standard Curve	383
9.7.5.	Unknown Template Reaction	385
9.7.6.	Troubleshooting	386
10.	The PCR Step	397
	<i>Stephen A. Bustin and Tania Nolan</i>	
10.1.	Introduction	399
10.2.	Choice of Enzyme	400
10.3.	Thermostable DNA Polymerases	401
10.3.1.	Fidelity	406
10.3.2.	Processivity and Elongation Rates	406
10.3.3.	Thermostability	407

10.3.4.	Robustness	407
10.4.	To UNG or not to UNG	410
10.5.	Hot Start PCR	411
10.6.	PCR Assay Components	413
10.6.1.	Enzyme Concentration	413
10.6.2.	Mg ²⁺ Concentration	414
10.6.3.	Primers	414
10.6.4.	dNTPs	415
10.6.5.	Template	416
10.6.6.	Inhibition of PCR by RT Components	417
10.6.7.	Water	417
10.7.	Reaction Conditions	417
10.7.1.	Denaturation Temperature	418
10.7.2.	Annealing Temperature	418
10.7.3.	Polymerization Temperature	418
10.7.4.	Reaction Times	419
10.7.5.	Multiplexing	419
10.7.6.	Additives	419
10.8.	PCR Protocols for Popular Assays	422
10.8.1.	Preparations	423
10.8.2.	Double Stranded DNA Binding Dye Assays	424
10.8.3.	Hydrolysis (TaqMan) Probe Reaction	426
10.8.4.	Molecular Beacon Melting Curve to Test Beacon and Scorpion Assays	429
10.8.5.	Molecular Beacon/Scorpion Reaction	430
10.9.	General Troubleshooting	431
11.	Data Analysis and Interpretation	439
	<i>Stephen A. Bustin and Tania Nolan</i>	
11.1.	Introduction	441
11.2.	Precision, Accuracy, and Relevance	442
11.3.	Quantitative Principles	444
11.4.	Effect of Initial Copy Numbers	446
11.5.	Monte Carlo Effect	447
11.6.	Amplification Efficiency	448
11.7.	Relative, Comparative or Absolute Quantification	449
11.8.	Absolute Quantification	450
11.9.	Standard Curves	451
11.9.1.	Recombinant DNA	454
11.9.2.	Genomic DNA	455
11.9.3.	SP6 or T7-Transcribed RNA	456
11.9.4.	Universal RNA	456
11.9.5.	Sense-Strand Oligonucleotides	457
11.10.	Relative Quantification	458
11.11.	Normalization	460
11.11.1.	Tissue Culture	461
11.11.2.	Nucleated Blood Cells (NBC)	462
11.11.3.	Solid Tissue Biopsies	462
11.11.4.	Cell Number	463
11.11.5.	Total RNA	463
11.11.6.	DNA	464
11.11.7.	rRNA	464

11.12.	Reference Genes (Housekeeping Genes)	465
11.13.	Basic Statistics	467
11.13.1.	Data Presentation	469
11.13.2.	Mean and Median	469
11.13.3.	Standard Deviation	470
11.13.4.	Plots	470
11.13.5.	Relative (Receiver) Operating Characteristics	471
11.13.6.	Probability	473
11.13.7.	Parametric and Nonparametric Tests	475
11.14.	Conclusion	481
12.	The qPCR Does Not Work?	493
	<i>Stephen A. Bustin and Tania Nolan</i>	
12.1.	Introduction	495
12.2.	Problem: What Is a Perfect Amplification Plot?	496
12.3.	Problem: Too Much Target	498
12.9.1.	Solution	499
12.4.	Problem: Amplification Plot Is not Exponential	499
12.4.1.	Solution	500
12.5.	Problem: Duplicates Give Widely Differing C _t s	500
12.5.1.	Solution	502
12.6.	Problem: No Amplification Plots	502
12.6.1.	Solution	502
12.7.	Problem: The Probe Does not Work!	506
12.7.1.	Solution	510
12.8.	Problem: The Data Plots Are Very Jagged	511
12.8.1.	Solution	511
12.9.	Problem: The Amplification Plot for the Standard Curve Looks Great	
BUT.....		512
12.9.1.The Gradient of the Standard Curve Is Greater Than -3.3	514
12.9.2.The Standards Aren't Diluting!	515
12.9.3.Using SYBR Green the Gradient of the Standard Curve Is Less Than	
-3.3		517
12.9.4.Using a Sequence Specific Oligonucleotide Detection System the	
Gradient of the		
	Standard Curve Is Less Than -3.3	518
12.10.	Problem: The Amplification Plots Are Strange Wave Shapes	521
12.10.1.	Solution	522
12.11.	Problem: The Amplification Plot Goes Up, Down and All Around	523
12.11.1.	Solution	523
PART III. SPECIFIC APPLICATIONS		525
13. Getting Started—The Basics of Setting up a qPCR Assay		527
	<i>Tania Nolan</i>	
13.1.	Introduction	529
13.2.	Optimization	531
13.3.	Primer and Probe Optimization Protocol	532
13.4.	Optimization of Primers Concentration Using SYBR Green I	534
13.5.	SYBR Green 1 Optimization Data Analysis	535
13.6.	Examination of the Melting Curve	535
13.7.	Optimization of Primer Concentration Using Fluorescent Probes	537
13.8.	Molecular Beacon Melting Curve	537
13.9.	Primer Optimization Reactions in Duplicate	538

- 13.10. Primer Optimization Data Analysis **539**
- 13.11. Optimization of Probe Concentration **539**
- 13.12. Probe Optimization Data Analysis **542**
- 13.13. Testing the Efficiency of Reactions Using a Standard Curve **542**

14. Use of Standardized Mixtures of Internal Standards in Quantitative RT-PCR to Ensure

Quality Control and Develop a Standardized Gene Expression Database 545

James C. Willey, Erin L. Crawford, Charles A. Knight, Kristy A. Warner, Cheryl R. Motten, Elizabeth Herness Peters, Robert J. Zahorchak, Timothy G. Graves, David A. Weaver, Jerry R. Bergman, Martin Vondracek, and Roland C. Grafstrom

- 14.1. Introduction **547**
 - 14.1.1. Controls Required for RT-PCR to Be Quantitative 548
 - 14.1.2. Control for Variation in Loading of Sample into PCR Reaction 548
 - 14.1.3. Control for Variation in Amplification Efficiency 552
 - 14.1.4. Control for Cycle-to-Cycle Variation in Amplification 552
 - 14.1.5. Control for Gene-to-Gene Variation in Amplification Efficiency 552
 - 14.1.6. Control for Sample-to-Sample Variation in Amplification Efficiency 553
 - 14.1.7. Control for Reaction-to-Reaction Variation in Amplification Efficiency 554
 - 14.1.8. Schematic Comparison of StaRT-PCR to Real-Time 556
- 14.2. Materials **559**
- 14.3. Methods **560**
 - 14.3.1. RNA Extraction and Reverse Transcription 560
 - 14.3.2. Synthesis and Cloning of Competitive Templates 560
 - 14.3.3. Preparation of Standardized Mixtures of Internal Standards 562
- 14.4. StaRT-PCR **563**
 - 14.4.1. Step-by-Step Description of StaRT-PCR Method 564
- 14.5. The Standardized Expression Measurement Center **570**
- 14.6. Technology Incorporated by the SEM Center **571**
 - 14.6.1. Automated Preparation of StaRT-PCR Reactions 571
 - 14.6.2. Electrophoretic Separation of StaRT-PCR Products 572
 - 14.6.3. Design of High-Throughput StaRT-PCR Experiments 572

15. Standardization of qPCR and qRT-PCR Assays 577

Reinhold Mueller, Gothami Padmabandu, and Roger H. Taylor

- 15.1. Introduction **579**
- 15.2. Platforms **581**
 - 15.2.1. Validation of Instrument Specification 581
- 15.3. Detection Chemistries **586**
- 15.4. Conclusion **588**

16. Extraction of Total RNA from Formalin-Fixed Paraffin-Embedded Tissue 591

Fraser Lewis and Nicola J. Maughan

- 16.1. Introduction **593**
- 16.2. Extraction of RNA from Clinical Specimens **594**
- 16.3. Effect of Fixation **595**
- 16.4. Extraction of total RNA from Formalin-Fixed, Paraffin-Embedded Tissue **596**
- 16.5. Use of RNase Inhibitors **597**
- 16.6. Protocol for the Extraction of total RNA from Formalin-Fixed, Paraffin-Embedded Tissue **598**
 - 16.6.1. Method 598
- 16.7. Reverse Transcription of Total RNA from Paraffin Sections **600**

16.7.1.	Method	600
16.8.	Design of Real-Time PCR Assays	601
17.	Cells-to-cDNA II: RT-PCR without RNA Isolation	605
	<i>Quoc Hoang and Brittan L. Pasloske</i>	
17.1.	Introduction	607
17.2.	Materials	609
17.2.1.	Materials Supplied with Cells-to-cDNA II	609
17.2.2.	Materials for Real-Time PCR	609
17.2.3.	Heating Sources	610
17.3.	Method	610
17.3.1.	Lysis and DNase I Treatment	610
17.3.2.	Reverse Transcription	611
17.3.3.	Real-Time PCR	611
17.3.4.	Data Analysis	612
17.4.	Notes	613
18.	Optimization of Single and Multiplex Real-Time PCR	619
	<i>Marni Brisson, Shannon Hall, R. Keith Hamby, Robert Park, and Hilary K Srere</i>	
18.1.	Introduction	621
18.1.1.	Why Multiplex?	622
18.2.	Getting Started—Proper Laboratory Technique	623
18.2.1.	Avoiding Contamination	623
18.2.2.	Improving Reliability	624
18.3.	Designing Probes for Multiplexing	624
18.3.1.	Types of Probes	624
18.3.2.	Reporters and Quenchers	624
18.3.3.	Analyzing Probe Quality	626
18.4.	Standard Curves	627
18.4.1.	Interpreting Standard Curves	627
18.4.2.	Proper Use of Standards	628
18.5.	Optimizing Individual Reactions before Multiplexing	630
18.5.1.	Definition of Efficiency	630
18.5.2.	Designing Primers for Maximum Amplification Efficiency	631
18.5.3.	Designing Primers for Maximum Specificity	632
18.5.4.	Equalizing Amplification Efficiencies	635
18.6.	Optimization of Multiplex Reactions	636
18.6.1.	Comparing Individual and Multiplexed Reactions	636
18.6.2.	Optimizing Reaction Conditions	636
18.7.	Summary	640
19.	Evaluation of Basic Fibroblast Growth Factor mRNA Levels in Breast Cancer	643
	<i>Pamela Pinzani, Carmela Tricarico, Lisa Simi, Mario Pazzagli, and Claudio Orlando</i>	
19.1.	Introduction	645
19.2.	Materials and Methods	647
19.2.1.	Cancer Samples	647
19.2.2.	Materials	647
19.2.3.	Sample Preparation	648
19.2.4.	Quantitative Evaluation of bFGF mRNA Expression	648
19.2.5.	Statistical Analysis	648
19.3.	Results	649
19.3.1.	Intra-Assay and Inter-Assay Variability	649
19.3.2.	Quantification of bFGF and VEGF mRNA Levels	649

- 19.3.3. Clinicopathologic Characteristics 650
- 19.4. Discussion 653

20. Detection of “Tissue-Specific” mRNA in the Blood and Lymph Nodes of Patients without Colorectal Cancer 657

Stephen A. Bustin and Sina Dorudi

- 20.1. Introduction 659
- 20.2. Materials and Methods 661
 - 20.2.1. Patients and Controls 661
 - 20.2.2. Tumors and Lymph Nodes 661
 - 20.2.3. RNA Extraction 662
 - 20.2.4. Primers and Probes 663
 - 20.2.5. RT-PCR Reactions 663
 - 20.2.6. Quantification 664
 - 20.2.7. Normalization 664
 - 20.2.8. Quality Standards 665
- 20.3. Results 665
 - 20.3.1. ck20 mRNA in Colorectal Cancers 665
 - 20.3.2. ck20 mRNA in the Peripheral Blood of Patients 665
 - 20.3.3. ck20 mRNA in the Peripheral Blood of Healthy Volunteers 667
 - 20.3.4. ck20 Expression in Lymph Nodes 667
 - 20.3.5. ck20 Expression in Other Human Tissues 667
- 20.4. Discussion 668

21. Optimized Real-Time RT-PCR for Quantitative Measurements of DNA and RNA in Single Embryos and Their Blastomeres 675

Cristina Hartshorn, John E. Rice, and Lawrence J. Wangh

- 21.1. Introduction 677
- 21.2. Key Features of Real-Time RT-PCR 680
- 21.3. Primer Design 681
- 21.4. Avoidance of the HMG Box within Sry 681
- 21.5. Amplicon Selection and Verification 682
- 21.6. Molecular Beacons Design 684
- 21.7. Multiplex Optimization 686
- 21.8. Blastomere Isolation 688
- 21.9. DNA and RNA Isolation 691
- 21.10. Reverse Transcription 694
- 21.11. Real-time PCR and Quantification of Genomic DNA and cDNA Templates in Single Embryos 696
- 21.12. Real-time PCR and Quantification of Genomic DNA and cDNA Templates in Single Blastomeres 698

22. Single Cell Global RT and Quantitative Real-Time PCR 703

Ged Brady and Tania Nolan

- 22.1. Introduction 705
- 22.2. PolyAPCR Overview 706
- 22.3. Ensuring Ratio of RNAs in Is Equal to Ratio of cDNAs out 707
- 22.4. Why Carry out Single Cell Analysis? 707
- 22.5. Picking the “Right” Single Cell 709
- 22.6. Experimental Details of PolyAPCR 710
 - 22.6.1. Global Amplification of cDNA to Copy All Polyadenylated RNAs (PolyAPCR) 710

- 22.6.2. Preparation of Gene Specific Quantity Standard Series 712
- 22.6.3. TaqMan™ Real-Time Quantitative PCR to Quantify Specific Gene Expression 712

23. Single Nucleotide Polymorphism Detection with Fluorescent MGB Eclipse Probe Systems 717

Irina A. Afonina, Yevgeniy S. Belousov, Mark Metcalf, Alan Mills, Silvia Sanders, David K. Walburger,

Walt Mahoney, and Nicolaas M. J. Vermeulen

- 23.1. Introduction 719
- 23.2. General Discussion 721
- 23.3. Materials 723
 - 23.3.1. Preparation of Nucleic Acids 723
 - 23.3.2. Primers and Probes 724
 - 23.3.3. Amplification Enzyme 724
 - 23.3.4. Amplification Solutions 724
- 23.4. Method 724
 - 23.4.1. Amplification 724
 - 23.4.2. Melting Curve Analysis 725
- 23.5. Instruments 726
- 23.6. Data Interpretation 726
 - 23.6.1. Rotor-Gene 726
 - 23.6.2. Other Instruments 726
- 23.7. Notes 727
- 23.8. Summary 730

24. Genotyping Using MGB-Hydrolysis Probes 733

Jane Theaker

- 24.1. Introduction 735
 - 24.1.1. Improved Chemistries 736
 - 24.1.2. Dark Quenchers 736
 - 24.1.3. Single-Tube Genotyping Assay Design Recommendations 737
- 24.2. Evaluation of a Single-Tube Genotyping Assay 738
- 24.3. Troubleshooting a Genotyping Assay 739
 - 24.3.1. Problem: No Signal or Poor Signal 739
 - 24.3.2. Problem: Probe Cross-Hybridization 741
 - 24.3.3. Problem: Spectral Crosstalk 742
- 24.4. The Transition from Real-Time to Endpoint Genotyping Assay 744
- 24.5. General Practical Points and Hints 745
 - 24.5.1. Plasticware and its Compatibility with Hardware 745
 - 24.5.2. ROX Including Baseline Drift 746
- 24.6. Software 750
 - 24.6.1. MFold 750
 - 24.6.2. HyTher™ Server 1.0 750
 - 24.6.3. Primer Express® Software 751
 - 24.6.4. Oligo Primer Analysis Software 751
 - 24.6.5. Beacon Designer 2.1 752
 - 24.6.6. Microsoft Excel 752
 - 24.6.7. JMP Version 5.1 752
- 24.7. Reagents and Buffers 752
 - 24.7.1. Alternative Suppliers of Reagents 753
 - 24.7.2. Formulate Your Own Reagents 754

- 24.8. Melting Curves **755**
 - 24.8.1. Types of Melting Curves 755
 - 24.8.2. Performing a Pre-PCR Melting Curve 756
 - 24.8.3. Post-PCR Melting Curves 760
- 24.9. A Useful Protocol to Quantify Total Human DNA Based on Detection of the APO B Gene **763**
 - 24.9.1. Primer and Probe Sequences 763

25. Scorpions Primers for Real-Time Genotyping and Quantitative Genotyping on Pooled DNA 767

David M. Whitcombe, Paul Ravetto, Antony Halsall, and Nicola Thelwell

- 25.1. Introduction **769**
- 25.2. Genotyping **770**
- 25.3. Scorpions **771**
 - 25.3.1. Structure and Mechanism 771
 - 25.3.2. Benefits of the Scorpions Mechanism 772
- 25.4. Methods **773**
 - 25.4.1. Design of ARMS Allele-Specific Primers 774
 - 25.4.2. Design and Synthesis of Scorpions 774
- 25.5. Examples **777**
 - 25.5.1. Genotyping with Allele Specific Primers and Intercalation 777
 - 25.5.2. Single-Tube Genotyping 778
 - 25.5.3. Quantitative Genotyping of Pooled Samples 779
- 25.6. Conclusions **780**

26. Simultaneous Detection and Sub-Typing of Human Papillomavirus in the Cervix Using

Real-Time Quantitative PCR 783

Rashmi Seth, Tania Nolan, Triona Davey, John Rippin, Li Guo, and David Jenkins

- 26.1. Introduction **785**
- 26.2. PolyAPCR Overview **788**
- 26.3. Results **790**
- 26.4. Conclusion **793**

APPENDICES 797

Appendix A1. Useful Information 799

- A1.1. Sizes and Molecular Weights of Eukaryotic Genomic DNA and rRNAs **801**
- A1.2. Nucleic Acids in Typical Human Cell **803**
- A1.3. Nucleotide Molecular Weights **803**
- A1.4. Molecular Weights of Common Modifications **804**
- A1.5. Nucleic Acid Molecular Weight Conversions **804**
- A1.6. Nucleotide Absorbance Maxima and Molar Extinction Coefficients **807**
- A1.7. Conversions **807**
- A1.8. DNA Conformations **812**
- A1.9. Efficiency of PCR Reactions **812**
- A1.10. Centrifugation **813**
- A1.11. Splice Function **813**

Appendix A2. Glossary 815

Index 835